

## 2009 Orchardgrass Report

## Research Report 10-12

Dr. Gary Bates, Forage Specialist Joe Beeler, Research Associate Department of Plant Sciences

The forage cultivar evaluation program is a partnership between University of Tennessee Extension and UT AgResearch to aid producers in the selection of the best cultivars for their farm. The data in the following tables were determined using plot design and experimental techniques. This study was conducted using a randomized complete block design with 3 replications. The crop was grown using management practices considered to be the best for the crop, including fertilization according to soil test results.

Least significant difference (LSD) values at the 5 percent level are shown at the bottom of each table. Within any table, yields of any two varieties being compared must differ by at least this amount to be considered different. Also, coefficient of variation (CV %) values are shown at the bottom of each table. This value is a measure of the consistency of yields found within each study, with lower CVs indicating less variability.

Table 1: Yield of orchardgrass varieties at the Plateau Research and Education Center in Crossville.

	Yield (ton DM/acre)			
	2008	2009		
Variety	Total	May 12	Nov 4	Total
Megabite	2.99*	0.92	1.23*	2.16*
Ambrosia	2.26	0.66	0.92*	1.58*
Endurance	2.49*	1.10*	0.76	1.86*
B07.IC1	2.33	0.98	0.89*	1.87*
Benchmark Plus	2.36	1.00	0.89*	1.88*
Barlemas	1.95	0.63	0.92*	1.56
Shiloh II	2.38*	1.02*	0.95*	1.97*
Olympia	2.32	1.19*	0.94*	2.13*
Persist	2.53*	1.19*	0.99*	2.18*
AMOG-4	2.70*	0.81	0.95*	1.76*
LSD (P=.05)	0.61	0.19	0.39	0.52
CV (%)	15	12	24	16
* yielded statistically the same as the top-yielding variety				
Nitrogen Application: 60 lb/acre at green-up, and 30 lb/acre				
after first cut, 60 lb/acre in September				

Planted September 20, 2007

Table 2: Yield of orchardgrass varieties at the Middle Tennessee Research and Education Center in Spring Hill.

	Yield (ton DM/acre)				
	2008	2009			
Variety	Total	Apr 15	<b>May 27</b>	Nov 5	Total
Megabite	4.01*	0.90*	1.05*	0.52*	2.47*
Ambrosia	3.02	0.65	1.04*	0.41*	2.09
Endurance	3.53*	1.01*	1.08*	0.46*	2.54*
B07.IC1	3.29	0.78	1.17*	0.43*	2.38*
Benchmark Plus	3.28	0.92*	1.02*	0.56*	2.50*
Barlemas	3.01	0.60	1.14*	0.33	2.07
Shiloh II	3.48*	0.64	1.04*	0.40*	2.08
Olympia	3.24	0.95*	1.03*	0.42*	2.40*
Persist	3.74*	1.04*	1.04*	0.52*	2.60*
AMOG-4	3.29	0.90	1.12	0.44*	2.46*
LSD (P=.05)	0.59	0.19	0.19	0.18	0.39
CV (%)	10	13	10	23	10

<sup>\*</sup> yielded statistically the same as the top-yielding variety

Nitrogen Application: 60 lb/acre at green-up, and 30 lb/acre after first cut, 60 lb/acre in September

Planted September 19, 2007

Table 3: Yield of orchardgrass varieties at the Research and Education Center at Greeneville.

	Yield (ton DM/acre)				
	2009				
Variety	Apr 28	<b>Jun 16</b>	Sep 1	Nov 3	Total
Megabite	1.31*	2.92*	0.94*	1.27	6.44*
B07.IC1	1.21*	2.38*	1.19*	1.46	6.24*
Benchmark Plus	1.24*	1.83	1.14*	1.57*	5.78*
Warrior II	1.27*	2.46*	1.05*	1.40	6.17*
Olympia	1.37*	1.88	0.76*	1.36	5.37*
Persist	1.14*	2.50*	1.08*	1.84*	6.55*
Survivor	1.07*	2.35*	1.13*	1.35	5.90*
Shiloh II	1.27*	1.51	1.13*	1.41	5.31*
Profit	1.07*	2.01	1.00*	1.54	5.62*
LSD (P=.05)	0.34	0.89	0.56	0.29	1.26
CV (%)	16	23	31	11	12

<sup>\*</sup> yielded statistically the same as the top-yielding variety

Nitrogen Application: 60 lb/acre at green-up, and 30 lb/acre after first cut, 60 lb/acre in September

Planted September 22, 2008

Table 4: Yield of orchardgrass varieties at the Research and Education Center at Milan.

	Yield (ton DM/acre)			
	2009			
Variety	<b>Jun 23</b>	Nov 19	Total	
Megabite	0.78*	1.13*	1.91*	
B07.IC1	0.75*	1.01*	1.76	
Benchmark Plus	0.97*	0.81	1.78	
Warrior II	1.07*	1.03*	2.09*	
Olympia	0.96*	1.24*	2.20*	
Persist	1.03*	1.28*	2.31*	
Survivor	0.76*	1.04*	1.80	
Shiloh II	0.93*	0.74	1.67*	
Profit	1.07*	0.98*	2.05*	
LSD (P=.05)	0.30	0.39	0.44	
CV (%)	21	23	14	

<sup>\*</sup> yielded statistically the same as the top-yielding varie Nitrogen Application: 60 lb/acre at green-up, and 30 lb/acre after first cut, 60 lb/acre in September Planted September 29, 2008

**Table 5: Variety Information** 

Variety	Supplier	Commercially Available
Benchmark Plus	Allied Seed	Yes
Ambrosia	American Grass Seed Produc	Yes
AMOG-4	AMPAC Seed	No
Profit	AMPAC Seed	Yes
Barlemas	Barenbrug	Yes
B07.IC1	Blue Moon Farm LLC	No
B-7.0103	Caudill Seed	Yes
Endurance	DLF International Seeds	Yes
Olympia	Pennington Seed	Yes
Warrior II	Pro Seeds	Yes
Megabite	Rose Agri-Seed	Yes
Persist	Smith Seed	Yes
Shiloh II	Turner Seed/Pro Seed	Yes

This and other useful information can be found on the University of Tennessee Forages Web site. http://forages.tennessee.edu